MATERIAL SAFETY DATA SHEET (Prepared According to 29 CFR 1910.1200)

SECTION 1 - PRODUCT IDENTIFICATION			
stributor MB Stone Restoration & Supply, Inc.		Emergency Phone (888) 509-5831	
Address 329 Doremus Avenue, Newark, NJ 07105			
Trade Name MB-13 POLISHED STONE DRESSING		Product Type Stone Protector	
SECTION 2 - HAZARDOUS INGREDIENTS			
CHEMICAL NAME/COMMON NAME	CAS NO.	PERCENT(optional)	TLV(Source)
Hvdrotreated Naphthenic Petroleum Distillate	64742-53-6*		For Mineral Oil Mist: 5 ma/m3(OSHA):
			5 ma/m3 (ACGIH)
Bis (coco alkvl) dimethvlammonium Chloride	61789-77-3		Not Established
Refined Paraffinic Petroleum Distillate	64742-30-9		For Mineral Oil Mist: 5 ma/m3 TWA(OSHA):
			5 ma/m3 (ACGIH)
Other ingredients in this product are : X Less than 1% by weight or	less than 0.1% for		hazardous X Declared to be Trade Secret
Other ingredients in this product are : X Less than 1% by weight or less than 0.1% for carcinogens X Not hazardous X Declared to be Trade Secret SECTION 3 - PHYSICAL DATA			
Boiling point(°F.) Near 212 Specific Gravity(H2O=1.0) (±	0.005) 0.970	nH	(± 0.5) 6.5
Vapor Pressure(mm Hg) Unknown	Vapor Density(Ai		(± 0.0) _{0.5}
Solubility in water			Slight (or Partial)
Insoluble Image: Second se			
Appearance and Odor Milky slightly viscous liquid: pleasant odor.			
SECTION 4 - FIRE AND EXPLOSION HAZARD DATA			
Extinguishing Media CO2, dry chemical, foam, water spray			
Special Firefighting Procedures Firefighters should not enter confined fire-spaces without protective clothing and self-contained air supply.			
Unusual Fire and Explosion Hazards Empty containers retain residue. Do not pressurize.cut.heat.weld or expose such containers to flame. They may explode and cause iniury.			
SECTION 5 - REACTIVITY DATA			
	dizers, anionic compou	inds	
Hazardous Decomposition Products Carbon monoxide and other unidentified organic combounds may occur during incomplete combustion.			
SECTION 6 - HEALTH HAZARDS			
Primary Routes of Exposure Eye Skin	X Oral	X In	halation Other
Signs Eves: irritation Skin: Prolonged or repeated contact may dry skin			
and Symptoms Inhalation of product vapors at high airborne concentrations may cause chemical intoxication.			
(Acute)			
Signs and Symptoms of Overexposure(Chronic) _{None known}			
Medical Conditions Aggravated by Overexposure Not known	Carcino	gen/Suspect Carcinog	
SECTION 7 - EMERGENCY AND FIRST AID PROCEDURES Eyes Flush immediately with water for at least 15 minutes. If irritation persists, Call a physician.			
Remove expessed person to mean air. Theat symptomatically.			
SECTION 8 - SPECIAL PROTECTION INFORMATIC Respiratory Protection Not needed under normal conditions of use.	DN		
Ventilation Requirements Local Exhaust Mechanical			
Protective Gloves Rubber Eye Protection Safety alasses/aaaales Other Protective Clothing Not required for normal use SECTION 9 - SPILL OR LEAK PROCEDURES			
Steps to be Taken Absorb with suitable absorbent. For large spills, eliminate potential sources of ignition. Dike and contain. Recover free liquid. Ventilate confined spaces.			
if Released or Spilled	nate potential sources	of ignition. Dike and conta	n. Recover nee liquid. Ventilate commed spaces.
if Released or Spilled		-	n. Recover nee inquid. Ventilale commed spaces.
if Released or Spilled Waste Disposal Methods Dispose of in accordance with applicable Federal, State	te and Local ordinance	-	n. Recover nee inquid. Ventilale commed spaces.
if Released or Spilled Waste Disposal Methods Dispose of in accordance with applicable Federal, Sta SECTION 10 - STORAGE AND HANDLING INFORM	te and Local ordinance	2S.	
if Released or Spilled Waste Disposal Methods Dispose of in accordance with applicable Federal, Sta	ite and Local ordinance IATION ear heat or open flame:	2S.	

significantly at use dilution. The signs and symptoms of over exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure to the product, under normal conditions of use.