MATERIAL SAFETY DATA SHEET

(Prepared According to 29 CFR 1910.1200)

	l 1 - PRODUCT I	DENTIFI	CATION						
Distributor MB Stone Restoration & Supply, Inc.					Emergency Phone (888) 509-5831				
Address	329 Doremus Avenue, N	ewark, , NJ 0							
Trade Name MB-9 MILDEW STAIN REMOVER					Product Type Mildew Stain Remover				
SECTION	l 2 - HAZARDOU	S INGRE	DIENTS						
	CHEMICAL NAME/			CAS NO.	PERCENT(optional)	TLV(Source)			
Sodium Hypoc	hlorite **			7681-52-9		Not Established*			
Sodium Hvdrox	xide			1310-73-2		2 ma/m3(ceilina)(OSHA): 2 ma/m3(ceilina)(ACGIH)			
**For Chlorine	*			77-82-50-5)	Less than 10	1 ppm(OSHA): 1 ppm TWA(ACGIH)			
SARA HAZARI	D TITLE III.SECTION 313-C	ONTA <u>INS</u> TH	E STARRED INGREDIENT(S	S) AT THE INDICATED	PERCENTAGES				
Other ingredients in this product are: X Less than 1% by weight or less than 0.1% for carcinogens X Not hazardous X Declared to be Trade Secret									
SECTION 3 - PHYSICAL DATA									
	(°F.) Near 212		cific Gravity(H2O=1.0) (±	0.005) 1.070	рН	(± 0.5) _{12.5}			
Vapor Press	ure(mm Hg) _{Unknown}			Vapor Density(A	r=1) _{Unknown}				
Solubility in	Solubility in water Complete Insoluble Emulsifiable (or Dispersible) Slight (or Partial)								
Evaporation Rate(vs. H2O)									
Appearance	and Odor Pale vellow-o	reen to colorle	ess liauid						
SECTION	4 - FIRE AND E	XPLOSI	ON HAZARD DAT	ΓΑ					
Flash Point(T.C.C.) °F. X None to Boiling Flammable Limits Upper Unknown Lower Unknown									
Extinguishing Media CO2. dry chemical. foam. water spray.									
Special Firefighting Procedures Do not enter confined fire-spaces without protective clothing and self-contained air supply.									
Unusual Fire and Explosion Hazards None known.									
SECTION 5 - REACTIVITY DATA									
Stability S	stable	lı	ncompatibility Strong oxi	idizers					
Hazardous Decomposition Products Carbon monoxide and other unidentified organic gases may occur during incomplete combustion.									
SECTION 6 - HEALTH HAZARDS									
Primary Rou	tes of Exposure	X Eye	X Skin	X Oral	X In	halation Other			
Signs	Eyes and skin:causes	severe burns	and destruction of tissue. Swa	allowing: pain and infla	mmation of the mouth, phar	ynx,esophagus and stomach. Causes erosion of the			
of Overexpo	sure mucous membranes e	specially the s	and Symptoms of Overexposure mucous membranes especially the stomach. Vomiting will usually occur. Inhalation of vapors from the undiluted product in a poorly ventilated area may cause respiratory						
(Acute)	irritation and pulmonar	v odoma Oth							
Signs and S		y cucina. On	ner symptoms may include circ	culatory collapse with	cold clammy skin,cyanosis a	and shallow respiration.			
	ymptoms of Overexpos		ner symptoms may include circ	culatory collapse with	cold clammy skin,cyanosis a	and shallow respiration.			
	ymptoms of Overexpos	ure(Chronic	ner symptoms may include circ	culatory collapse with	cold clammy skin,cyanosis a	ind shallow respiration.			
Medical Con Aggravated	ditions by Overexposure None I	ure(Chronic	er symptoms may include circ	culatory collapse with	cold clammy skin, cyanosis a	ind shallow respiration.			
Medical Con Aggravated SECTION	ditions by Overexposure None I I 7 - EMERGENC	cure(Chronic	None known	culatory collapse with	cold clammy skin,cyanosis a	ind shallow respiration.			
Medical Con Aggravated SECTION Eyes	ditions by Overexposure None I I 7 - EMERGENO Flush immediately with wate	cure(Chronic known CY AND I	P)None known FIRST AID PROCI 5 minutes. Call a physician.	Carcino	gen/Suspect Carcinog	ind shallow respiration.			
Medical Con Addravated SECTION Eyes Skin	ditions by Overexposure None I 7 - EMERGENO Flush immediately with wate	sure(Chronic known SY AND F r for at least 1!	None known FIRST AID PROCI minutes. Call a physician. minutes. Apply a paste of ba	Carcino EDURES aking soda(sodium bic	egen/Suspect Carcinogo arbonate). Call a physician.	en Ingredients NTP OSHA IARC NONE			
Medical Con Aggravated SECTION Eyes Skin	ditions by Overexposure None In Overexposure None In	sure(Chronic known Y AND I r for at least 1! r for at least 1!	FIRST AID PROCI 5 minutes. Call a physician. 5 minutes. Apply a paste of bach paste, milk of magnesia.alur	Carcino EDURES aking soda(sodium bic	egen/Suspect Carcinogo arbonate). Call a physician.	ind shallow respiration.			
Medical Con Aggravated SECTION Eyes Skin Ingestion	ditions by Overexposure None I Overexposure None I I I I I I I I I I I I I I I I I I I	sure(Chronic known SY AND I r for at least 1! on whites.stard fresh air. Trea	FIRST AID PROCI 5 minutes. Call a physician. 5 minutes. Apply a paste of bach paste, milk of magnesia, alur t symptomatically.	Carcino EDURES aking soda(sodium bic minum hydroxide gel c	egen/Suspect Carcinogo arbonate). Call a physician.	en Ingredients NTP OSHA IARC NONE			
Medical Con Aggravated SECTION Eyes Skin Ingestion Inhalation	ditions by Overexposure None In Overexposure None In	sure(Chronic known Y AND for at least 1! or for at least 1! or whites.stard fresh air. Trea	FIRST AID PROCE 5 minutes. Call a physician. 5 minutes. Apply a paste of bach paste, milk of magnesia, alure t symptomatically. ION INFORMATIO	Carcino EDURES aking soda(sodium bic minum hydroxide gel c	egen/Suspect Carcinogo arbonate). Call a physician.	en Ingredients NTP OSHA IARC NONE			
Medical Con Aggravated SECTION Eyes Skin Ingestion Inhalation SECTION Respiratory	ditions by Overexposure None of Overexposure None o	sure(Chronic known Y AND in r for at least 1! on whites, stard fresh air. Trea ROTECT needed under	FIRST AID PROCI 5 minutes. Call a physician. 5 minutes. Apply a paste of back paste, milk of magnesia, aluret symptomatically. ION INFORMATIC normal conditions of use.	Carcino EDURES aking soda(sodium bic minum hydroxide gel c	egen/Suspect Carcinogo arbonate). Call a physician.	en Ingredients NTP OSHA IARC NONE			
Medical Con Aggravated SECTION Eyes Skin Ingestion Inhalation SECTION Respiratory Ventilation R	ditions by Overexposure None In Overexposure Note In Overexposure Note In Overexposure Note In Overexposure In Overexposure In Overexposure In Overexposure In Overexposure In Overexposure In In Overexposure In Inc. In Overexposure In Inc. I	sure(Chronic known Y AND if r for at least 1! r	FIRST AID PROCI 5 minutes. Call a physician. 5 minutes. Apply a paste of bach paste, milk of magnesia, alur t symptomatically. ION INFORMATIO normal conditions of use.	Carcino EDURES aking soda(sodium bic minum hydroxide gel c	egen/Suspect Carcinogerarbonate). Call a physician. r magnesium trisilicate gel(0	en Ingredients NTP OSHA IARC NONE			
Medical Con Aggravated SECTION Eyes Skin Ingestion Inhalation SECTION Respiratory Ventilation R	ditions by Overexposure None In Overexposure Note In Overexposure In Overexposure In Overexposure In In Overexposure In In Overexposure In In Overexposure In In Indian In	sure(Chronic known Y AND if r for at least 1! r for at least 1! r whites.stard fresh air. Trea ROTECT needed under Local Exhau e Protection	FIRST AID PROCI 5 minutes. Call a physician. 5 minutes. Apply a paste of bach paste, milk of magnesia, alur t symptomatically. ION INFORMATIC normal conditions of use. st Mechanical Safety glasses/googles	Carcino EDURES aking soda(sodium bic minum hydroxide gel c	egen/Suspect Carcinogerarbonate). Call a physician. r magnesium trisilicate gel(0	en Ingredients NTP OSHA IARC NONE			
Medical Con Aggravated SECTION Eyes Skin Ingestion Inhalation SECTION Respiratory Ventilation R Protective G SECTION Steps to be	ditions by Overexposure None by Overexposure None I 7 - EMERGENO Flush immediately with water Swallow immediately-milk, ed Remove exposed person to I 8 - SPECIAL Protection Not received and the Requirements I will be spilled by I 9 - SPILL OR Let I Taken Flush spilled I 7 - EMERGENO I Spilled I I I I I I I I I I I I I I I I I I I	sure(Chronic known Y AND r for at least 1! r fo	FIRST AID PROCI 5 minutes. Call a physician. 5 minutes. Apply a paste of bach paste, milk of magnesia, alure t symptomatically. ION INFORMATION TO THE CONTROL OF THE CONT	Carcino EDURES aking soda(sodium bic minum hydroxide gel co	egen/Suspect Carcinogo arbonate). Call a physician. It magnesium trisilicate gel(Carcinogo)	en Ingredients NTP OSHA IARC NONE			
Medical Con Addravated SECTION Eyes Skin Ingestion Inhalation SECTION Ventilation Respiratory Ventilation Respiratory SECTION Steps to be if Released of SECTION Steps to be if Released of SECTION Addrawated Section Steps to be if Released of SECTION Addrawated Section Steps to be if Released of SECTION Steps to be if Released of SECTION Steps to Section Steps t	ditions by Overexposure None by Overexposure None I 7 - EMERGENO Flush immediately with water Swallow immediately with water Swallow immediately-milk, etc. Remove exposed person to I 8 - SPECIAL Protection Not received in the Requirements I Loves Rubber Eyrones I 9 - SPILL OR Letter Taken Flush spill or Spilled	sure(Chronic known Y AND r for at least 1! r fo	FIRST AID PROCE 5 minutes. Call a physician. 5 minutes. Apply a paste of bach paste, milk of magnesia, alunt t symptomatically. ION INFORMATION TO Magnesia and the paste of the symptomatically. Sometimes of the symptomatical of the sympto	Carcino EDURES aking soda(sodium bic minum hydroxide gel color) Room Ver Other Prosolution. For large special colors and solution.	arbonate). Call a physician. r magnesium trisilicate gel(0 tilation Is Adequate otective Clothing May b	en Ingredients NTP OSHA IARC NONE CONTINUED IN SECTION 10 BELOW). The needed where likely exposure may occur			
Medical Con Addravated SECTION Eyes Skin Ingestion Inhalation SECTION Respiratory Ventilation R Protective G SECTION Steps to be if Released Waste Dispos	ditions by Overexposure None In Overexposure Note In Overexposure Note In Overexposure In In Overexposure In Overexposure In	sure(Chronic known Y AND If for at least 1! If fo	FIRST AID PROCI 5 minutes. Call a physician. 5 minutes. Apply a paste of bach paste, milk of magnesia, aluret symptomatically. ION INFORMATION TO Safety glasses/googgles OCEDURES er followed by dilute soda ashope with applicable Federal, States.	Carcino EDURES aking soda(sodium bic minum hydroxide gel co ON Room Ver Other Pr solution. For large sp ate and Local ordinance	arbonate). Call a physician. r magnesium trisilicate gel(0 tilation Is Adequate otective Clothing May b	en Ingredients NTP OSHA IARC NONE CONTINUED IN SECTION 10 BELOW). The needed where likely exposure may occur			
Medical Con Addravated SECTION Eyes Skin Ingestion Inhalation SECTION Respiratory Ventilation R Protective G SECTION Steps to be if Released G Waste Dispose SECTION SECTION SECTION SECTION SECTION SECTION SECTION SECTION	ditions by Overexposure None In Overexposure None In It 7 - EMIERGENCE Flush immediately with water Flush immediately with water Swallow immediately-milk, expensed person to It 8 - SPECIAL Protection Not receive Requirements In It I I I I I I I I I I I I I I I I I	sure(Chronic known YAND if r for at least 1! on whites, stard fresh air. Treat reeded under Local Exhaute Protection area with water AND HA	FIRST AID PROCI 5 minutes. Call a physician. 5 minutes. Apply a paste of bach paste, milk of magnesia, alure to symptomatically. ION INFORMATIC normal conditions of use. IST Mechanical Safety glasses/googles OCEDURES er followed by dilute soda ash ce with applicable Federal, Sta	Carcino EDURES Aking soda(sodium bic minum hydroxide gel co ON Room Ver Other Pr a solution. For large sp ate and Local ordinance MATION	egen/Suspect Carcinogos arbonate). Call a physician. Ir magnesium trisilicate gel(Carcinogos trilation Is Adequate otective Clothing May be sills, collect for disposal. Do	en Ingredients NTP OSHA IARC NONE CONTINUED IN SECTION 10 BELOW). The needed where likely exposure may occur			

The health hazards given on the Material Safety Data Sheet apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of over exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure to the product, under normal conditions of use.

KEY CODE

023